AMENDMENTS TO THE CLAIMS

 (Currently Amended) A method of conditioning hair, said method comprising a step of applying an organopolysiloxane hair treatment composition to said hair;

wherein said organopolysiloxane hair treatment composition comprises:

a <u>free organopolysiloxane</u> hair treatment agent (A) represented by the following formula

(1), dispersed or dissolved in an organic solvent,

$$R^{1}_{a}R^{2}_{b}R^{3}_{c}SiO_{(4-a-b-c)/2}$$
 (1)

wherein

R¹ is an organic group selected from the group consisting of alkyl groups having 1 to 30 carbon atoms, alicyclic groups, aryl groups, aralkyl groups, fluorinated alkyl groups and an organic group represented by following formula (2).

$$-C_dH_{2d}$$
-O- $(C_2H_4O)_c(C_3H_6O)_dR^4$ (2)

wherein R^4 is an alkyl group having 1 to 30 carbon atoms, provided that, when d=e=f=0, said alkyl group has 7 to 30 carbon atoms, or an organic group represented by the formula, R^5 -(CO)-, wherein R^5 is an alkyl group having 1 to 30 carbon atoms,

 R^2 is a group having at least one hydroxyl group or alkoxy group having 1 to 6 carbon atoms, said R^2 is bonded to a silicon atom in the formula (1) directly or via at least a silicon atom,

R3 is a silicone compound residue represented by the following formula (3),

$$\begin{array}{c|c}
R^6 \\
 \downarrow \\
-C_xH_{2x}-(SiO)_y-SiR^6_3 \\
 \downarrow R^6
\end{array}$$
(3)

Docket No.: 5521-0117PUS1

Page 2 of 9

Application No.: 10/553,214 Docket No.: 5521-0117PUS1 Reply dated November 16, 2009

Reply to Office Action of June 15, 2009

wherein R⁶ is a group selected from the group consisting of alkyl groups having 1 to 30 carbon

atoms, alicyclic groups, arvl groups, aralkyl groups, and fluorinated alkyl groups, wherein when

two or more of the groups R¹, R², R³, R⁴, R⁵ or R⁶, respectively, are present in a molecule, such

are the same with or different from each other.

a. b and c each is a number with $1.0 \le a \le 2.5$, $0.001 \le b \le 1.5$, and $0.001 \le c \le 1.5$.

d, e and f each is an integer with $0 \le d \le 15$, $0 \le e \le 50$, and $0 \le f \le 50$,

x is an integer with 1 < x < 5, and

v is an integer with 0< v <500.

2. (Previously Presented) The method according to claim 1, wherein the

organopolysiloxane of formula (1) has a weight average molecular weight of from 300 to

100.000.

3. (Previously Presented) The method according to claim 1 or 2, wherein

R1 is an alkyl group having 1 to 6 carbon atoms, a fluorinated alkyl group having 1 to 6

carbon atoms, or a group represented by the formula, -C₃H₆O-1-(C₃H₆O)₆R⁴, wherein R⁴ is an

alkyl group having 7 to 30 carbon atoms and f is an integer with $0 \le f \le 50$,

R² is an organic group represented by the following formula (4),

(4)

wherein R7 is a group selected from the group consisting of alkyl groups having 1 to 30 carbon

atoms, alicyclic groups, aryl groups, aralkyl groups and fluorinated alkyl groups. R8 is a

Page 3 of 9

Application No.: 10/553,214 Docket No.: 5521-0117PUS1

Reply dated November 16, 2009 Page 4 of 9

Reply to Office Action of June 15, 2009

hydroxyl group or an alkoxy group having 1 to 6 carbon atoms, z is an integer of from 1 to 5, and

p is an integer of from 1 to 3,

in the formula (3), R^6 is an alkyl group having 1 to 6 carbon atoms, x is 2, and y is an

integer of from 1 to 15, and

a, b and c each is a number with $1.2 \le a \le 2.3$, $0.05 \le b \le 1.0$, and $0.05 \le c \le 1.0$.

4. (Canceled)

5. (Previously Presented) The method according to claim 1, wherein the method further

comprises, prior to the step of application of the organopolysiloxane hair treatment composition,

steps of:

applying to the hair a second composition comprising at least one selected from the group

consisting of amino-modified silicones, amino acid-modified silicones, and carboxyl-modified

silicones, and washing the hair with water.

6. (Previously Presented) The method according to claim 5, wherein the method further

comprises, after the step of application of the organopolysiloxane hair treatment composition, a

step of:

applying to the hair a third composition comprising an amino-modified silicone.

7. (Previously Presented) The method according to claim 5 or 6, wherein the amino-

modified silicone is at least one selected from the group consisting of silicones having an amino

group grafted to a silicone backbone, silicones having an amino group bonded to either one end

Application No.: 10/553,214 Docket No.: 5521-0117PUS1 Reply dated November 16, 2009 Page 5 of 9

Reply to Office Action of June 15, 2009

of a silicone backbone, silicones having amino groups bonded to both ends of a silicone backbone, silicones having amino groups bonded to both ends of a silicone backbone and an amino group grafted to the silicone backbone, and silicones having a silicone chain and an amino

group both grafted to a silicone backbone.

8. (Previously Presented) The method according to claim 7, wherein the amino-modified

silicone is represented by the following formula (6),

wherein A is -R¹⁰NH₂ or -R¹⁰NHR¹¹NH₂, wherein R¹⁰ and R¹¹ are alkylene groups having

1 to 8 carbon atoms.

R9 is the same with or different from each other and is selected from the group consisting of alkyl groups having 1 to 30 carbon atoms, alicyclic groups, aryl groups, aralkyl groups, and

fluorinated alkyl groups,

m and n are the same with and different from each other and are integers of from 0 to

300, and s and t are the same with or different from each other and are integers of from 0 to 3

with $1 \le n+s+t$.

9. - 28. (Canceled)

Application No.: 10/553,214 Docket No.: 5521-0117PUS1
Reply dated November 16, 2009 Page 6 of 9

Reply dated November 16, 2009 Reply to Office Action of June 15, 2009

29. (Previously Presented) The method according to claim 1, wherein said organopolysiloxane hair treatment composition is in the form of a liquid, milky lotion, cream,

solid, paste, gel, multilayer, mousse, spray or stick.

organopolysiloxane dispersed or dissolved in said organic solvent.

30. (New) The method according to claim 1, wherein said organopolysiloxane hair treatment composition consists essentially of an organic solvent and said free